

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	107	((handl\$3 with attribute\$1) and (document with management)) and (index with attribute\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 11:23
L2	2	1 and "virtual attribute"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 11:29
L3	107	1 and attribute	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 11:38
L4	43	1 and (extend with attribute)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 11:44
L5	28	((content with management with system) and (index with attribute\$1)) and (extend\$2 with attribute\$1)) and virtual	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 11:45
L6	40	((handl\$3 with attribute\$1) and (document with management)) and (document with index with attribute\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 11:46
L7	2	"virtual attribute" and "extended attribute"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 11:54
L9	3	((search\$3 with attribute\$1) and "virtual attribute") or ((search\$3 with attribute\$1) and (virtual with attribute\$1))) and (map\$4 with attribute\$1 with class)) and index	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 12:03
L10	6	((("index class" and virtual) and @ad<"20010322") and parent and child) and folder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 12:04
L11	1	((("index class" and virtual) and @ad<"20010322") and parent and child) and (real with attribute) and (virtual with attribute)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 12:05

L12	7	(hierarch\$4 with attributes) and "index class"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 12:06
L13	4	("index class" and attribute\$1) and (folder with index with class)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 12:06
L14	11	defin\$3 with "index class" same attribute\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 12:07
L15	1	(folder adj index adj class) same attributes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 12:08
L16	12	folder with "one attribute"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 12:09
L17	2	dynamic with description with (virtual or extended) with attributes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 12:10
L19	30	dynamic with content with management with interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 12:11
L20	12	19 and attribute\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 12:11

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	122	dynamic with description with attributes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/08 10:12
S3	2	dynamic with description with (virtual or extended) with attributes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 12:10
S4	1	S2 and ("virtual attributes" or "extended attributes")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/08 10:12
S5	35	(dynamic with description) and (static with description) with attributes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/08 10:24
S6	1	"document management interface" and "content management system"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/08 10:18
S7	2	"content management interface" and "content management system"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/08 10:19
S8	28	dynamic with content with management with interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 12:11
S9	11	S8 and attributes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/08 10:20
S10	12	S8 and attribute\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/08 10:20
S11	0	S5 and ("search engine")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/08 10:25

S12	2	("5181162").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/29 11:36
S13	2	((("5181162").PN.) and attribute\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 11:37
S14	1	((("5181162").PN.) and attribute\$1) and class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 11:37
S15	0	(((((("5181162").PN.) and attribute\$1) and class) and virtual) and real	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 11:37
S16	0	(((((("5181162").PN.) and attribute\$1) and class) and virtual) and index	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 11:37
S17	1	(((((("5181162").PN.) and attribute\$1) and class) and virtual	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 17:51
S18	7492	content with management with system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 17:52
S19	4093	index with attribute\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 17:52
S20	118	(content with management with system) and (index with attribute\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 19:07
S21	2583	extend\$2 with attribute\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 17:53

S22	27	((content with management with system) and (index with attribute\$1)) and (extend\$2 with attribute\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 17:53
S23	27	((content with management with system) and (index with attribute\$1)) and (extend\$2 with attribute\$1)) and virtual	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 11:45
S24	1	"6430670".PN.	USPAT	OR	OFF	2004/06/29 18:43
S25	1	"6430664".PN.	USPAT	OR	OFF	2004/06/29 18:44
S26	1	"6418523".PN.	USPAT	OR	OFF	2004/06/29 18:48
S27	49	("4016545"   "4507730"   "4937734"   "4969122"   "5121487"   "5133058"   "5155816"   "5222222"   "5263142"   "5265213"   "5265227"   "5265236"   "5305444"   "5313577"   "5315696"   "5315698"   "5321806"   "5321807"   "5321836"   "5361340"   "5392393"   "5396614"   "5408605"   "5426750"   "5440682"   "5446854"   "5465337"   "5479627"   "5491806"   "5500948"   "5524233"   "5542062"   "5546555"   "5548739"   "5553023"   "5584014"   "5586283"   "5664161"   "5675750"   "5737765"   "5778197"   "5815167"   "5845327"   "5854637"   "5861893"   "5889970"   "5892964"   "5909559"   "5911051").PN.	USPAT	OR	ON	2004/06/29 18:50
S28	1	"6412043".PN.	USPAT	OR	OFF	2004/06/29 18:50
S29	1	"6408373".PN.	USPAT	OR	OFF	2004/06/29 18:51
S30	1	"6408373".PN.	USPAT	OR	OFF	2004/06/29 18:51
S31	1	"6351797".PN.	USPAT	OR	OFF	2004/06/29 18:51
S32	1	"6304944".PN.	USPAT	OR	OFF	2004/06/29 18:52
S33	1	"6304944".PN.	USPAT	OR	OFF	2004/06/29 18:58
S34	1	"6260131".PN.	USPAT	OR	OFF	2004/06/29 18:58
S35	1	"5628023".PN.	USPAT	OR	OFF	2004/06/29 18:59
S36	4	((content with management with system) and (index with attribute\$1)) and (folder with index)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 19:10
S37	3572	handl\$3 with attribute\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 19:10

S38	200	((handl\$3 with attribute\$1) and (document with management))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 19:11
S39	90	((handl\$3 with attribute\$1) and (document with management)) and (index with attribute\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 11:16
S40	39	((handl\$3 with attribute\$1) and (document with management)) and (document with index with attribute\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 19:13
S41	33	((handl\$3 with attribute\$1) and (document with management)) and (document with index with attribute\$1) and folder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 19:15
S42	6	((handl\$3 with attribute\$1) and (document with management)) and (document with index with attribute\$1) not (((handl\$3 with attribute\$1) and (document with management)) and (document with index with attribute\$1)) and folder)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 11:46
S43	0	((handl\$3 with attribute\$1) and (document with management)) and (index with attribute\$1) not (((handl\$3 with attribute\$1) and (document with management)) and (document with index with attribute\$1)) and ("virtual attribute" and "extended attribute")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 19:23
S44	2	"virtual attribute" and "extended attribute"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 11:54
S45	45	((handl\$3 with attribute\$1) and (document with management)) and (index with attribute\$1) not (((handl\$3 with attribute\$1) and (document with management)) and (document with index with attribute\$1)) and parent and child	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 19:26

S46	45	(((((handl\$3 with attribute\$1) and (document with management)) and (index with attribute\$1)) not (((handl\$3 with attribute\$1) and (document with management)) and (document with index with attribute\$1))) and parent and child) and index	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 19:26
S47	41	(((((handl\$3 with attribute\$1) and (document with management)) and (index with attribute\$1)) not (((handl\$3 with attribute\$1) and (document with management)) and (document with index with attribute\$1))) and parent and child) and index) and (virtual with attribute\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 19:27
S48	51	(((((handl\$3 with attribute\$1) and (document with management)) and (index with attribute\$1)) not (((handl\$3 with attribute\$1) and (document with management)) and (document with index with attribute\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 19:37
S49	5750	search\$3 with attribute\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 19:37
S50	13	(search\$3 with attribute\$1) and "virtual attribute"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 19:38
S51	219	(search\$3 with attribute\$1) and (virtual with attribute\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 19:38
S52	219	((search\$3 with attribute\$1) and "virtual attribute") or ((search\$3 with attribute\$1) and (virtual with attribute\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 19:38
S53	3	(((((search\$3 with attribute\$1) and "virtual attribute") or ((search\$3 with attribute\$1) and (virtual with attribute\$1))) and (map\$4 with attribute\$1 with class)) and index	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 12:03

S54	5	((search\$3 with attribute\$1) and "virtual attribute") or ((search\$3 with attribute\$1) and (virtual with attribute\$1))) and (map\$4 with attribute\$1 with class)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/30 10:24
S55	249	"index class"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/30 13:38
S56	91	"index class" and virtual	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/30 10:24
S57	62	("index class" and virtual) and @ad<"20010322"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/30 10:24
S58	20	((("index class" and virtual) and @ad<"20010322") and parent and child	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/30 10:25
S59	5	((("index class" and virtual) and @ad<"20010322") and parent and child) and folder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 12:04
S60	16	((("index class" and virtual) and @ad<"20010322") and folder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/30 10:25
S61	0	((("index class" and virtual) and @ad<"20010322") and parent and child) and (real with attribute) and (virtual with attribute)) and ("real attribute" and "virtual attribute")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/30 10:27
S62	0	((("index class" and virtual) and @ad<"20010322") and ("real attribute" and "virtual attribute")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/30 10:27
S63	2	"index class" and ("real attribute" and "virtual attribute")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/30 10:27



S64	1	"087020".apn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/30 10:28
S65	1	"087020".apn. and ("real attribute" and "virtual attribute")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/30 13:15
S66	1	((("index class" and virtual) and @ad<"20010322") and parent and child) and (real with attribute) and (virtual with attribute)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 12:05
S67	2689	hierarch\$4 with attributes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/30 13:18
S68	6	(hierarch\$4 with attributes) and "index class"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 12:06
S69	114	"index class" and attribute\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/30 13:38
S70	4	("index class" and attribute\$1) and (folder with index with class)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 12:06
S71	13	("index class" and attribute\$1) and (folder with class)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/30 13:42
S72	9	((("index class" and attribute\$1) and (folder with class)) not (("index class" and attribute\$1) and (folder with index with class))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/30 13:42
S73	21	"real attribute" and "virtual attribute"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/02 16:01

S74	9	defin\$3 with "index class" same attribute\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 12:07
S75	1	(folder adj index adj class) same attributes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 12:08
S76	9	(folder adj class) same attributes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/07 14:46
S77	10	folder with "one attribute"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/26 12:08